Index Supplement, 1985 Volume 24

BIOPOLYMERS

Contents

Author Index to Volume 24 2523
Subject Index to Volume 24 2533

an Interscience® Publication
published by JOHN WILEY & SONS
BIPMAA 24(S) 2523–2544
ISSN 0006–3525

EDITOR
Murray Goodman, *University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD
Victor Bloomfield, *Department of Biochemistry, University of Minnesota, St. Paul, Minnesota 55108*
Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*
Elliot L. Elson, *Department of Biological Chemistry, Washington University, St. Louis, Missouri 63110*
Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*
David R. Kearns, *University of California, San Diego, La Jolla, California 92093*

ADVISORY BOARD

E. M. Bradbury	S. Krimm	S. Sakakibara	I. Tinoco
C. R. Cantor	C. H. Li	J. Schellman	P. Ts'o
J. S. Cohen	W. L. Mattice	H. A. Scheraga	A. Veis
D. Crothers	T. Miyazawa	P. R. Schimmel	G. Weill
G. Fasman	W. Olson	I. C. P. Smith	R. W. Woody
G. Felsenfeld	Y. A. Ovchinnikov	I. Z. Steinberg	K. Wüthrich
I. L. Karle	E. Peggion	A. Stone	B. H. Zimm
M. Karplus	G. N. Ramachandran		

Joan Mosher, *Editorial Assistant*
Ethan Pavlo, *Editorial Production, John Wiley*

Biopolymers (ISSN: 0006-3525) is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Copyright © 1986 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the United States Copyright Law. The per-copy fee for each item is $4.00 and is to be paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Publisher, Wiley Journals.

Subscription price: $498.00 per volume. Postage and handling outside U.S.A.: $60.00 (surface mail); $260.00 (air mail). Back volumes, microfilm, and microfiche are available for previous years; request price list from Publisher. Please allow four weeks for processing a change of address.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits.

Postmaster: Send address changes to *Biopolymers*, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Advertising: Inquiries concerning advertising should be forwarded to Dora Castiblanco, Advertising Sales, John Wiley & Sons, Periodicals Division, 605 Third Avenue, New York, New York 10158, (212) 692-6026.

Manuscripts should be submitted to the Editor, Murray Goodman, Department of Chemistry, B-014, University of California, San Diego, La Jolla, CA 92093. *Information for contributors* appears in the first and last issue of each volume. *All other correspondence* should be addressed to the Publisher, Wiley Journals, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews, Biological Abstracts, Chemical Abstracts, Chemical Titles, Current Contents/Life Sciences, Current Contents/Engineering Technology and Applied Sciences, Excerpta Medica, Index Medicus*, and *Science Citation Index*.

Author Index to Volume 24

Allier, F. See Aubry, A., 639
Allison, S. A.
—; Ganti, G.; McCammon, J. A.: Simulation of the Diffusion-Controlled Reaction Between Superoxide and Superoxide Dismutase. I. Simple Models, 1323
Alpert, Y.
—; Cser, L.; Farago, B.; Franek, F.; Mezei, F.; Ostanevich, Y. M.: Segmental Flexibility in Pig Immunoglobulin G Studied by Neutron Spin-Echo Technique, 1769
Altmann, K.-H. See Mutter, M., 1057
Amir, D.
—; Varshavski, L.; Haas, E.: Selective Fluorescent Labeling at the α-Amino Group of Bovine Pancreatic Trypsin Inhibitor, 623
Atalla, R. H.
—; Whitmore, R. E.; Vanderhart, D. L.: A Highly Crystalline Cellulose from *Rhizoclonium Hieroglyphicum*, 421
Aubry, A.
—; Allier, F.; Boussard, G.; Marraud, M.: Crystal Structure of a Dehydromonopeptide, (Z)-*N*-Acetyl-α,β-Dehydrophenylalanine Methylamide, 639
—; Vitoux, B.; Marraud, M.: Conformational Properties of Pro–Pro Sequences. I. Crystal Structures of Two Dipeptides with L-Pro-L-Pro and L-Pro-D-Pro Sequences, 1089
Azorin, F. See Vives, J., 1801

Balaram, P. See Kishore, R., 2041; Raj, P. A., 1131
Bale, M. D.
—; Muller, M. F.; Ferry, J. D.: Rheological Studies of Creep and Creep Recovery of Unligated Fibrin Clots: Comparison of Clots Prepared with Thrombin and Ancrod, 461
Bandekar, J.
—; Zundel, G.: Erratum: Low-Temperature Conformation of Mg^{2+}-Poly(U) in D_2O as Revealed by IR and Raman Spectroscopy and by Normal-Mode Analysis Treatment (Erratum), 1385
Barnickel, G. See Labischinski, H., 2087
Barone, V.
—; Lelj, F.; Bavoso, A.; Di Blasio, B.; Grimaldi, P.; Pavone, V.; Pedone, C.: Conformational Behavior of α,α-Dialkylated Peptides, 1759
Bavoso, A. See Barone, V., 1759
Bax, A. See Borah, B., 747
Behe, M. J.
—; Felsenfeld, G.; Szu, S. C.; Charney, E.: Temperature-Dependent Conformational Transitions in Poly(dG-dC) and Poly(dG-m^5dC), 289
Behling, R. W.
—; Kearns, D. R.: Determination of NOE "Silent" Dipolar Interactions Between Magnetically Equivalent Nuclei: Application of Poly(dA) · Poly(dT), 1157
Behnam, B. A. See Deber, C. M., 105
Belleney, J. See Fournie-Zaluski, M. C., 1663
Belmont, A. S.
—; Zietz, S.; Nicolini, C.: Differential Scattering of Circularly Polarized Light by Chromatin Modeled as a Helical Array of Dielectric Ellipsoids within the Born Approximation, 1301
Bender, E.
—; Silver, F. H.: Type I Collagen Segment Long Spacing Banding Patterns: Improved Correlation with Models Using a Variable *h*-Spacing, 2195
Benevides, J. M. See Thomas, G. J., Jr., 1101
—; Thomas, G. J., Jr.: Dependence of Purine 8C-H Exchange on Nucleic Acid Conformation and Base-Pairing Geometry: A Dynamic Probe of DNA and RNA Secondary Structures, 667
Benight, A. S. See Langowski, J., 1023
Birshtein, T. M.
—; Borisov, O. V.; Karaev, A. K.; Zhulina, E. B.: Adsorption of Polypeptides on a Solid Surface. IV. Adsorption and β-Structure–Coil Transition, 2057
Bloomfield, V. A. See Stimpson, D. I., 387; Thomas, T. J., 725, 2185
Boelens, R. See Zuiderweg, E. R. P., 601
Bonora, G. M. See Mutter, M., 1057; Narayanan, U., 1257

Borah, B.
—; Cohen, J. S.; Bax, A.: Conformation of Double-Stranded Polydeoxynucleotides in Solution by Proton Two-Dimensional Nuclear Overhauser Enhancement Spectroscopy, 747
Borin, G. See Peggion, E., 647
Borisov, O. V. See Birshtein, T. M., 2057
Borovik, A. S. See Kalambet, Yu. A., 359
Bosch, R.
—; Jung, G.; Schmitt, H.; Winter, W.: Crystal Structure of Boc-Leu-Aib-Pro-Val-Aib-Aib-Glu(OBzl)-Gln-Phl × H_2O, the C-Terminal Nonapeptide of the Voltage-Dependent Ionophore Alamethicin, 979
—; Jung, G.; Schmitt, H.; Winter, W.: Crystal Structure of the α-Helical Undecapeptide Boc-L-Ala-Aib-Ala-Aib-Ala-Glu(OBzl)-Ala-Aib-Ala-Aib-Ala-OMe, 961
Boussard, G. See Aubry, A., 639
Brack, A. See Vives, J., 1801
Bradaczek, H. See Labischinski, H., 2087
Brazhnikov, E. V.
—; Chirgadze, Yu. N.; Dolgikh, D. A.; Ptitsyn, O. B.: Noncooperative Temperature Melting of a Globular Protein without Specific Tertiary Structure: Acid Form of Bovine Carbonic Anhydrase B, 1899
Briggs, M. S. See Gierasch, L. M., 117
Brooks, C. L., III
—; Brunger, A.; Karplus, M.: Active Site Dynamics in Protein Molecules: A Stochastic Boundary Molecular-Dynamics Approach, 843
Brown, R. A.
—; Yeh, Y.; Burcham, T. S.; Feeney, R. E.: Direct Evidence for Antifreeze Glycoprotein Adsorption Onto an Ice Surface, 1265
Broyde, S. See Hingerty, B. E., 2279
Brunger, A. See Brooks, C. L., III, 843
Buc, H. See Sigman, D. S., 183
Burcham, T. S. See Brown, R. A., 1265
Burns, V. W.
Heavy-Atom Effects on Energy Transfer from Polynucleotides to Terbium (III), 1293
Bush, C. A. See Rao, B. N. N., 2207
Bustamante, C. See Keller, D., 783
—; Maestre, M. F.; Keller, D.: Expressions for the Interpretation of Circular Intensity Differential Scattering of Chiral Aggregates, 1595

Cadet, J.
—; Voituriez, L.; Hruska, F. E.; Grand, A.: Crystal Structure of the *cis–syn* Photodimer of Thymidylyl (3′-5′) Thymidine Cyanoethyl Ester, 897
Callaghan, P. T.
—; Lelievre, J.: The Size and Shape of Amylopectin: A Study Using Pulsed-Field Gradient Nuclear Magnetic Resonance, 441
Caloccia, W. See Miller, K. J., 913
Campbell, A. M. See Serafini-Fracassini, A., 1515
Canellakis, Z. N. See Thomas, T. J., 725
Carver, J. P.
—; Mackenzie, A. E.; Hardman, K. D.: Erratum: Molecular Model for the Complex Between Concanavalin A and a Biantennary-Complex Class Glycopeptide (Erratum), 1387
—; Mackenzie, A. E.; Hardman, K. D.: Molecular Model for the Complex Between Concanavalin A and a Biantennary-Complex Class Glycopeptide, 49
Chaires, J. B.
Thermodynamics of the Daunomycin–DNA Interaction: Ionic Strength Dependence of the Enthalpy and Entropy, 403
Chandrasekaran, S.
—; Jones, R. L.; Wilson, W. D.: Imino ^{1}H- and ^{31}P-NMR Analysis of the Interaction of Propidium and Ethidium with DNA, 1963
Charney, E. See Behe, M. J., 289
Chen, C.-H.
—; Guard-Friar, D.: Thermodynamic Examination of the Ordering of Lipid Hydrocarbon Chains in the Presence of Protein, 613
—; Guard-Friar, D.; Yu, C.-A.: Thermotropic Behavior of Dimyristoylphosphatidylcholine in the Presence of Cytochrome c Oxidase, 883
Chirgadze, Yu. N. See Brazhnikov, E. V., 1899
Chou, K.-C. See Gerritsen, M., 1271
Christensen, B. E. See Mikkelsen, A., 1683
Chujo, R. See Ishii, H., 2045
Cohen, J. S. See Borah, B., 747
Comper, W. D. See Harper, G. S., 2165
Craig, T. See Hallett, F. R., 947
Creighton, T. E. See Goldenberg, D. P., 167
Cser, L. See Alpert, Y., 1769

Daivis, P. See Harper, G. S., 2165
Dalbiez, J.-P. See Drifford, M., 1501
Dalzoppo, D.
—; Vita, C.; Fontana, A.: Domain Characteristics of the Carboxyl-Terminal Fragment 206–316 of Thermolysin: pH and Ionic Strength Dependence of Conformation, 767
Darlak, K. See Toma, F., 2417

Deber, C. M.
—; Behnam, B. A.: Transfer of Peptide Hormones from Aqueous to Membrane Phases, 105
De Jager, J. C. See Van Duijnen, P. Th., 735
DeJardin, P. See Lumpkin, O. J., 1573
Demarco, C.
—; Lindsay, S. M.; Pokorny, M.; Powell, J.; Rupprecht, A.: Interhelical Effects on the Low-Frequency Modes and Phase Transitions of Li- and Na-DNA, 2035
Denny, W. A. See Frey, M. H., 2371
Di Blasio, B. See Barone, V., 1759
Dive, V. See Toma, F., 2417
Dixon, J. S. See Sheridan, R. P., 1995
Dolgikh, D. A. See Brazhnikov, E. V., 1899
Doster, W.
—; Simon, B.; Schmidt, G.; Mayr, W.: Compressibility of Lysozyme in Solution from Time-Resolved Brillouin Difference Spectroscopy, 1543
Dougherty, A. M. See Pamuk, H. O., 1337
Drifford, M.
—; Dalbiez, J.-P.: Effect of Salt on Sodium Polystyrene Sulfonate Measured by Light Scattering, 1501
Drobny, G. See Langowski, J., 1023
Dua, V. K. See Rao, B. N. N., 2207
Durieux, C. See Fournie-Zaluski, M. C., 1663

Edmondson, S. P.
—; Johnson, W. C., Jr.: Base Tilt of Poly[d(A)]–Poly[d(T)] and Poly[d(AT)]–Poly[d(AT)] in Solution Determined by Linear Dichroism, 825
Elgsaeter, A. See Mikkelsen, A., 1683
Ellis, J. S. See Zeiger, A. R., 1215
Ernst, R. R. See Frey, M. H., 2371

Farago, B. See Alpert, Y., 1769
Fasman, G. D. See Hollosi, M., 211
Feeney, R. E. See Brown, R. A., 1265
Felsenfeld, G. See Behe, M. J., 289
Fermandjian, S. See Toma, F., 2417
Ferrell, T. L. See Hingerty, B. E., 427
Ferry, J. D. See Bale, M. D., 461
Field, J. M. See Serafini-Fracassini, A., 1515
Fodor, S. P. A.
—; Starr, P. A.; Spiro, T. G.: Raman Spectroscopic Elucidation of DNA Backbone Conformations for Poly(dG-dT) · Poly(dA-dC) and Poly(dA-dT) · Poly(dA-dT) in CsF Solution, 1493
Foffani, M. T. See Peggion, E., 647, 2029
Fontana, A. See Dalzoppo, D., 767
Fournie-Zaluski, M. C.
—; Durieux, C.; Belleney, J.; Gerard, D.; Pham, P.; Roques, B. P.; Lux, B.: Conformational Analysis of Cholecystokinin Fragments CCK_4, CCK_5, and CCK_6 by ^1H-NMR Spectroscopy and Fluorescence-Transfer Measurements, 1663
Franek, F. See Alpert, Y., 1769
Frey, M. H.
—; Leupin, W.; Sorensen, O. W.; Denny, W. A.; Ernst, R. R.; Wuthrich, K.: Sequence-Specific Assignment of the Backbone ^1H- and ^{31}P-NMR Lines in a Short DNA Duplex with Homo- and Heteronuclear Correlated Spectroscopy, 2371
Fujii, S.
—; Wang, A. H.-J.; Quigley, G. J.; Westerink, H.; Van Der Marel, G.; Van Boom, J. H.; Rich, A.: The Octamers d(CGCGCGCG) and d(CGCATGCG) Both Crystallize as Z-DNA in the Same Hexagonal Lattice, 243
Fujimoto, B. S. See Langowski, J., 1023; Shibata, J. H., 1909
—; Shibata, J. H.; Schurr, R. L.; Schurr, J. M.: Torsional Dynamics and Rigidity of Fractionated Poly(dGdC), 1009
Fukunishi, Y. See Ishii, H., 2045

Galat, A.
Time Scale, Geometrical Constraints, and Disulfide Bond Formation in the Folding of Small Globular Proteins, 279
Ganti, G. See Allison, S. A., 1323
Garcia de la Torre, J.
—; Mellado, P.; Rodes, V.: Diffusion Coefficients of Segmentally Flexible Macromolecules with Two Spherical Subunits, 2145
Gerard, D. See Fournie-Zaluski, M. C., 1663
Gerritsen, M.
—; Chou, K.-C.; Nemethy, G.; Scheraga, H. A.: Energetics of Multihelix Interactions in Protein Folding: Application to Myoglobin, 1271
Gevorkian, S. G. See Morozov, V. N., 1785
Giammatteo, P. J. See Stipanovic, A. J., 2333
Gierasch, L. M.
—; Rockwell, A. L.; Thompson, K. F.; Briggs, M. S.: Conformation–Function Relationships in Hydrophobic Peptides: Interior Turns and Signal Sequences, 117
Go, N. See Noguti, T., 527
Goldenberg, D. P.
—; Creighton, T. E.: Energetics of Protein Structure and Folding, 167
Goodman, M. See Peggion, E., 647; Ribeiro, A. A., 2431, 2449, 2469, 2495

Peptide Homologs, Isosteres, and Isomers: A General Approach to Structure–Activity Relationships, 137
—; Temussi, P. A.: Structure-Activity Relationship of a Bitter Diketopiperazine Revisited, 1629
Gordini, D. D. See Tamburro, A. M., 1853
Grand, A. See Cadet, J., 897
Gregory, R. B.
—; Lumry, R.: Hydrogen-Exchange Evidence for Distinct Structural Classes in Globular Proteins, 301
Gresh, N.
Theoretical Study of the Binding of Aliphatic Diamines to the Minor Groove of a B-DNA $(dA\text{-}dT)_{11}$ Oligomer, 1527
Griess, G. A.
—; Serwer, P.; Horowitz, P. M.: Binding of Ethidium to Bacteriophage T7 and T7 Deletion Mutants, 1635
Grimaldi, P. See Barone, V., 1759
Grishkovsky, B. A. See Lazarev, Yu. A., 1449
Grzonka, Z. See Toma, F., 2417
Guard-Friar, D. See Chen, C.-H., 613, 883

Haas, E. See Amir, D., 623
Hagerman, P. J.
Analysis of the Ring-Closure Probabilities of Isotropic Wormlike Chains: Application to Duplex DNA, 1881
Hahn, U.
—; Hanssum, H.; Ruterjans, H.: Anisotropic Rotational Motions of Poly(L-Glutamic Acid) in the α-Helix Conformation, 1147
Hall, D.
—; Pavitt, N.: Conformation of Cyclic Analogs of Enkephalin. III. Effect of Varying Ring Size, 935
Hallett, F. R.
—; Keates, R.: Rapid Estimation of Length Distributions of Microtubule Preparations by Quasi-elastic Light Scattering, 2403
—; Nickel, B.; Craig, T.: Quasielastic Light Scattering from Long Rigid Rods, 947
Hanssum, H. See Hahn, U., 1147
Hardman, K. D. See Carver, J. P., 49, 1387
Harper, G. S.
—; Comper, W. D.; Preston, B. N.; Daivis, P.: Concentration Dependence of Proteoglycan Diffusion, 2165
Harrington, W. F. See Hvidt, S., 1647
Harvey, S. C. See Prabhakaran, M., 1189
—; Prabhakaran, M.; McCammon, J. A.: Molecular-Dynamics Simulation of Phenylalanine Transfer RNA. I. Methods and General Results, 1169
Hayashi, H.
—; Nishimura, Y.; Tsuboi, M.; Sekimizu, K.; Nakanishi, Y.; Natori, S.: Raman Spectrum of a Closed-Circular DNA, 1107
Henis, Y. I. See Katchalski-Katzir, E., 257
Hingerty, B. E.
—; Broyde, S.: Carcinogen–Base Stacking and Base–Base Stacking in dCpdG Modified by (+) and (−) *Anti*-BPDE, 2279
—; Ritchie, R. H.; Ferrell, T. L.; Turner, J. E.: Dielectric Effects in Biopolymers: The Theory of Ionic Saturation Revisited, 427
Hiyama, Y. See Torchia, D. A., 65
Hollosi, M.
—; Kawai, M.; Fasman, G. D.: Studies on Proline-Containing Tetrapeptide Models of β-Turns, 211
Horowitz, P. M. See Griess, G. A., 1635
Hruska, F. E. See Cadet, J., 897
Hull, W. E. See Kricheldorf, H. R., 2113
Hunter, J. C. See Serafini-Fracassini, A., 1515
Hvidt, S.
—; Rodgers, M. E.; Harrington, W. F.: Temperature-Dependent Optical Rotatory Dispersion Properties of Helical Muscle Proteins and Homopolymers, 1647

Ikeda, S. See Imae, T., 585, 2381; Maeda, H., 1115
Imae, T.
—; Ikeda, S.: Intermolecular Association of Tetra-(γ-benzyl-L-glutamate)s in Ethylene Dichloride Solutions, 585
—; Ikeda, S.; Kobayashi, Y.; Kyogoku, Y.: Proton Magnetic Resonance Studies on Conformation and Association of Oligo-γ-benzyl-L-glutamates in Solution, 2381
Inoue, Y. See Ishii, H., 2045
Ishii, H.
—; Fukunishi, Y.; Inoue, Y.; Chujo, R.: β-Turn Structure and Intramolecular Interaction of Tetrapeptides Containing Asp and Lys, 2045

Janin, J.
—; Wodak, S. J.: Reaction Pathway for the Quaternary Structure Change in Hemoglobin, 509
Jeremic, K.
—; Karasz, F. E.: Thermodynamics of the Helix–Coil Transition in Polypeptides in Mixed Organic Solvents: The Influence of Inert Solvent and Side Chain, 1823
Johnson, W. C. See Pamuk, H. O., 1337
Johnson, W. C., Jr. See Edmondson, S. P., 825
Jones, R. L. See Chandrasekaran, S., 1963
Jung, G. See Bosch, R., 961, 979

Kalambet, Yu. A.
—; Borovik, A. S.; Lyamichev, V. I.; Lyubchenko, Yu. L.: Electron Microscopy of the Melting of Sequenced DNA, 359
Kaptein, R. See Zuiderweg, E. R. P., 601, 2257
Karaev, A. K. See Birshtein, T. M., 2057
Karasz, F. E. See Jeremic, K., 1823

Karplus, M. See Brooks, C. L., III, 843
Katchalski-Katzir, E.
—; Rishpon, J.; Sahar, E.; Lamed, R.; Henis, Y. I.: Enzyme Diffusion and Action on Soluble and Insoluble Substrate Biopolymers, 257
Kawai, M. See Hollosi, M., 211
Kearns, D. R. See Behling, R. W., 1157; Mirau, P. A., 711
Keates, R. See Hallett, F. R., 2403
Keiderling, T. A. See Narayanan, U., 1257
Keller, D. See Bustamante, C., 1595
—; Bustamante, C.; Maestre, M. F.; Tinoco, I., Jr.: Model Computations on the Differential Scattering of Circularly Polarized Light (CIDS) by Dense Macromolecular Particles, 783
Khromova, T. B. See Lazarev, Yu. A., 1449
Kim, S.-H. See Pearlman, D. A., 327
Kishore, R.
—; Balaram, P.: Stabilization of γ-Turn Conformations in Peptides by Disulfide Bridging, 2041
Kobayashi, Y. See Imae, T., 2381
Kollman, P. See Lybrand, T., 1863
Kricheldorf, H. R.
—; Muller, D.; Hull, W. E.: Secondary Structure of Peptides. 18. ^{15}N-NMR and $^{13C\text{-}NMR}$ CP/MAS Investigation of the Primary and Secondary Structure of (Ala/Val) Copolypeptides, 2113
Krimm, S. See Sengupta, P. K., 1479
Krishnamoorthy, C. R. See Wilson, W. D., 1941
Krueger, W. C.
—; Li, L. H.; Moscowitz, A.; Prairie, M. D.; Petzold, G.; Swenson, D. H.: Binding of CC-1065 to Poly- and Oligonucleotides, 1549
—; Prairie, M. D.: A Low-Salt Form of Poly(dG-5M-dC) · Poly(dG-5M-dC), 905
Kunkel, L. M. See Latt, S. A., 77
Kuntz, I. D. See Sheridan, R. P., 1995
Kyogoku, Y. See Imae, T., 2381
Kypr, J. See Selepova, P., 867

Labischinski, H.
—; Barnickel, G.; Naumann, D.; Ronspeck, W.; Bradaczek, H.: Conformational Studies on the Bacterial Cell Wall Peptide Analog Phenylacetyl-D-Alanyl-D-Alanine: Comparison Between Conformations of Cell Wall Peptide Analog and Those of Penicillin G, 2087
Lalande, M. See Latt, S. A., 77
Lamed, R. See Katchalski-Katzir, E., 257
Langowski, J.
—; Fujimoto, B. S.; Wemmer, D. E.; Benight, A. S.; Drobny, G.; Shibata, J. H.; Schurr, J. M.: Deformational Dynamics and NMR Relaxation of Supercoiled DNAs, 1023
Latt, S. A.
—; Lalande, M.; Kunkel, L. M.; Schreck, R.; Tantravahi, U.: Applications of Fluorescence Spectroscopy to Molecular Cytogenetics, 77
Lauer, M. See Miller, K. J., 913
Lazarev, Yu. A.
—; Grishkovsky, B. A.; Khromova, T. B.: Amide I Band of IR Spectrum and Structure of Collagen and Related Polypeptides, 1449
Lee, B.
The Physical Origin of the Low Solubility of Nonpolar Solutes in Water, 813
Lee, R. H.
—; Rose, G. D.: Molecular Recognition. I. Automatic Identification of Topographic Surface Features, 1613
Lelievre, J. See Callaghan, P. T., 441
Lelj, F. See Barone, V., 1759
Leonard, N. J.
Adenylates: Bound and Unbound, 9
Leslie, T. E.
—; Lilley, T. H.: Aqueous Solutions Containing Amino Acids and Peptides. Part 20. Volumetric Behavior of Some Terminally Substituted Amino Acids and Peptides at 298.15 K, 695
Leupin, W. See Frey, M. H., 2371
Li, L. H. See Krueger, W. C., 1549
Liebman, M. N.
—; Venanzi, C. A.; Weinstein, H.: Structural Analysis of Carboxypeptidase A and its Complexes with Inhibitors as a Basis for Modeling Enzyme Recognition and Specificity, 1721
Lilley, T. H. See Leslie, T. E., 695
Lindsay, S. M. See Demarco, C., 2035
Lipp, E. D.
—; Nafie, L. A.: Vibrational Circular Dichroism in Amino Acids and Peptides. 10. Fourier Transform VCD and Fourier Self-Deconvolution of the Amide I Region of Poly(γ-Benzyl-L-Glutamate), 799
Lumpkin, O. J.
—; DeJardin, P.; Zimm, B. H.: Theory of Gel Electrophoresis of DNA, 1573
Lumry, R. See Gregory, R. B., 301
Lux, B. See Fournie-Zaluski, M. C., 1663
Lyamichev, V. I. See Kalambet, Yu. A., 359
Lybrand, T.
—; Kollman, P.: Molecular Mechanical Calculations on the Interaction of Ethidium Cation with Double-Helical DNA, 1863
Lyubchenko, Yu. L. See Kalambet, Yu. A., 359

Mackenzie, A. E. See Carver, J. P., 49, 1387
Madison, V.
Cyclic Peptides Revisited, 97

Maeda, H.
—; Oike, Y.: Light-Scattering Study on Chick-Embryo Cartilage Proteoglycan Type H (PG-H), 483
—; Oka, K.; Ikeda, S.: Absorption and Circular Dichroism Spectra of $CuCl_2$ Complexed with Poly(S-carboxymethyl-L-cysteine) and Poly(S-carboxyethyl-L-cysteine), 1115
Maestre, M. F. See Bustamante, C., 1595; Keller, D., 783
Majoube, M.
Adenine Residue: a Normal-Coordinate Analysis of the Vibrational Spectra, 2357
Guanine Residue: A Normal-Coordinate Analysis of the Vibrational Spectra, 1075
Mallet, G. See Vasilescu, D., 1845
Mammi, S. See Peggion, E., 647
Marraud, M. See Aubry, A., 639, 1089
Marshall, L. See Steiner, R. F., 547
Maser, F. See Mutter, M., 1057
Mattice, W. L.
Stabilization of Short Helices by Intramolecular Cluster Formation, 2231
—; Scheraga, H. A.: Erratum: Suppression of the Statistical Coil State during the $\alpha \leftrightarrow \beta$ Transition in Homopolypeptides (Erratum), 581
—; Scheraga, H. A.: Role of Interstrand Loops in the Formation of Intramolecular Cross-β-Sheets by Homopolyamino Acids, 565
Maurer, P. H. See Zeiger, A. R., 1215
Mayer, R. See Vives, J., 1801
Mayr, W. See Doster, W., 1543
Mazet, J. See Rochas, C., 731
McCammon, J. A. See Allison, S. A., 1323; Harvey, S. C., 1169; Prabhakaran, M., 1189
McKeown-Longo, P. J. See Mosher, D. F., 199
Mellado, P. See Garcia de la Torre, J., 2145
Mezei, F. See Alpert, Y., 1769
Mikkelsen, A.
—; Stokke, B. T.; Christensen, B. E.; Elgsaeter, A.: Flexibility and Length of Human Bronchial Mucin Studied Using Low-Shear Viscometry, Birefringence Relaxation Analysis, and Electron Microscopy, 1683
Miller, K. J.
—; Lauer, M.; Caloccia, W.: Interactions of Molecules with Nucleic Acids. XII. Theoretical Model for the Interaction of a Fragment of Bleomycin with DNA, 913
Mirau, P. A.
—; Kearns, D. R.: Sequence and Conformational Effects on Imino Proton Exchange in A - T- and A - U-Containing DNA and RNA Duplexes, 711
Moroder, L. See Peggion, E., 647, 2029
Morozov, V. N.
—; Gevorkian, S. G.: Low-Temperature Glass Transition in Proteins, 1785
Morris, E. R. See Welsh, E. J., 2301
Moscowitz, A. See Krueger, W. C., 1549
Mosher, D. F.
—; McKeown-Longo, P. J.: Assembly of Fibronectin-Containing Extracellular Matrix: A Glimpse of the Machinery, 199
Muller, D. See Kricheldorf, H. R., 2113
Muller, M. F. See Bale, M. D., 461
Mutter, M.
—; Maser, F.; Altmann, K.-H.; Toniolo, C.; Bonora, G. M.: Sequence-Dependence of Secondary Structure Formation: Conformational Studies of Host–Guest Peptides in α-Helix and β-Structure Supporting Media, 1057

Nafie, L. A. See Lipp, E. D., 799
Nakanishi, Y. See Hayashi, H., 1107
Narayanan, U.
—; Keiderling, T. A.; Bonora, G. M.; Toniolo, C.: Vibrational Circular Dichroism of Polypeptides. IV. Film Studies of L-Alanine Homo-oligopeptides, 1257
Natori, S. See Hayashi, H., 1107
Naumann, D. See Labischinski, H., 2087
Nemethy, G. See Gerritsen, M., 1271
—; Scheraga, H. A.: Erratum: Role of Proline...Proline Interactions in the Packing of Collagenlike Poly(tripeptide) Triple Helices (Erratum), 581
Nickel, B. See Hallett, F. R., 947
Nicolini, C. See Belmont, A. S., 1301
Nishimura, Y. See Hayashi, H., 1107
—; Torigoe, C.; Tsuboi, M.: An A-Form Poly(dG)-poly(dC) in H_2O Solution, 1841
Noguti, T.
—; Go, N.: Efficient Monte Carlo Method for Simulation of Fluctuating Conformations of Native Proteins, 527
Noolandi, J. See Slater, G. W., 2181

Oike, Y. See Maeda, H., 483
Oka, K. See Maeda, H., 1115
Ostanevich, Y. M. See Alpert, Y., 1769
Ovchinnikov, Yu. A.
Membrane Proteins as Light-Energy Transducers, 157

Paine, G. H.
—; Scheraga, H. A.: Prediction of the Native Conformation of a Polypeptide by a Statistical-Mechanical Procedure. I. Backbone Structure of Enkephalin, 1391
Pamuk, H. O.
—; Dougherty, A. M.; Johnson, W. C.: Quantum-Mechanical Theory of CD for Infinite Helical Polymers, 1337

Pavitt, N. See Hall, D., 935
Pavone, V. See Barone, V., 1759
Pearlman, D. A.
—; Kim, S.-H.: Determinations of Atomic Partial Charges for Nucleic Acid Constituents from X-Ray Diffraction Data. I. 2′-Deoxycytidine-5′-Monophosphate, 327
Pedone, C. See Barone, V., 1759
Peggion, E.
—; Foffani, M. T.; Moroder, L.; Wunsch, E.: Effect of Self-Association on the Conformation of Gastrin-Related Peptides: CD Study on pGlu-$(Glu)_4$-Ala-Tyr-Gly-Trp-Nle-Asp-Phe Amide, 2029
—; Foffani, M. T.; Wunsch, E.; Moroder, L.; Borin, G.; Goodman, M.; Mammi, S.: Conformational Properties of Gastrin Fragments of Increasing Chain Length, 647
Perez, S.
—; Vergelati, C.: Unified Representation of Helical Parameters: Application to Polysaccharides, 1809
Peters, D.
—; Peters, J.: A Simple and Novel Interpretation of the Three-Dimensional Structure of Globular Proteins Based on Quantum-Mechanical Computations on Small Model Molecules. I, 491
Peters, J. See Peters, D., 491
Petzold, G. See Krueger, W. C., 1549
Pham, P. See Fournie-Zaluski, M. C., 1663
Phillies, G. D. J.
Diffusion of Bovine Serum Albumin in a Neutral Polymer Solution, 379
Pokorny, M. See Demarco, C., 2035
Porschke, D.
Short Electric-Field Pulses Convert DNA from "Condensed" to "Free" Conformation, 1981
Powell, J. See Demarco, C., 2035
Prabhakaran, M. See Harvey, S. C., 1169
—; Harvey, S. C.; McCammon, J. A.: Molecular-Dynamics Simulation of Phenylalanine Transfer RNA. II. Amplitudes, Anisotropies, and Anharmonicities of Atomic Motions, 1189
Prairie, M. D. See Krueger, W. C., 905, 1549
Prasad, K. U. See Urry, D. W., 2345
Preston, B. N. See Harper, G. S., 2165
Ptitsyn, O. B. See Brazhnikov, E. V., 1899

Quigley, G. J. See Fujii, S., 243

Raj, P. A.
—; Balaram, P.: Conformational Effects on Peptide Aggregation in Organic Solvents: Spectroscopic Studies of Two Chemotactic Tripeptide Analogs, 1131
Ramakrishnan, C. See Soman, K. V., 1205
Ramsay, D. J. See Schmitz, K. S., 1247
Rao, B. N. N.
—; Dua, V. K.; Bush, C. A.: Conformations of Blood Group H-Active Oligosaccharides of Ovarian Cyst Mucins, 2207
Rees, D. A. See Welsh, E. J., 2301
Ribeiro, A. A.
—; Saltman, R.; Goodman, M.: Conformational Analyses of Polyoxyethylene-Bound Homo-Oligo-L-Glutamates in a Helix-Supporting Environment, Trifluoroethanol, 2469
—; Saltman, R.; Goodman, M.: Conformational Analysis of Polyoxyethylene-Bound Homo-Oligo-L-Glutamates in a Weakly Interacting Medium, $CDCl_3$, 2449
—; Saltman, R.; Goodman, M.: Conformational Analysis of Polyoxyethylene-Bound Homo-Oligo-L-Glutamates in Aqueous Environment, 2495
—; Saltman, R.; Goodman, M.: Synthesis and Nmr Conformational Studies of Polyoxyethylene-Bound, α-Deuterated Glutamate Oligopeptides, 2431
Rich, A. See Fujii, S., 243
Rimsky, S. See Sigman, D. S., 183
Rinaudo, M. See Thibault, J. F., 2131
Rishpon, J. See Katchalski-Katzir, E., 257
Ritchie, R. H. See Hingerty, B. E., 427
Robie, S. B. See Stipanovic, A. J., 2333
Rochas, C.
—; Mazet, J.: Erratum: The Conformational Transition of κ-Carrageenan Using Microcalorimetry (Erratum), 731
Rockwell, A. L. See Gierasch, L. M., 117
Rodes, V. See Garcia de la Torre, J., 2145
Rodgers, M. E. See Hvidt, S., 1647
Ronspeck, W. See Labischinski, H., 2087
Roques, B. P. See Fournie-Zaluski, M. C., 1663
Rose, G. D. See Lee, R. H., 1613; Zehfus, M. H., 2511
Rupprecht, A. See Demarco, C., 2035
Ruterjans, H. See Hahn, U., 1147

Sahar, E. See Katchalski-Katzir, E., 257
Saltman, R. See Ribeiro, A. A., 2431, 2449, 2469, 2495
Sarkar, S. K. See Torchia, D. A., 65
Sathyanarayana, B. K.
—; Stevens, E. S.; Texter, J.: Random-Phase Calculation of the Low-Energy Circular Dichroism in Glucans, 1365
Scheek, R. M. See Zuiderweg, E. R. P., 2257
Scheraga, H. A. See Gerritsen, M., 1271; Mattice, W. L., 565, 581; Nemethy, G.; Paine, G. H., 1391; Vasquez, M., 1437

Schmidt, G. See Doster, W., 1543
Schmitt, H. See Bosch, R., 961, 979
Schmitz, K. S.
—; Ramsay, D. J.: QELS-SEF Study on Poly(lysine) in the Extraordinary Phase: Effect of Electric Field Strength on the Apparent Diffusion Coefficient, 1247
Schreck, R. See Latt, S. A., 77
Schurr, J. M. See Fujimoto, B. S., 1009; Langowski, J., 1023; Shibata, J. H., 1909
Effect of Anisotropic Bending Rigidity and Finite Twisting Rigidity on Statistical Properties of DNA Model Filaments, 1233
—; Schurr, R. L.: DNA Motions in the Nucleosome Core Particle: A reanalysis, 1931
Schurr, R. L. See Fujimoto, B. S., 1009; Schurr, J. M., 1931
Scott, K. P. See Sheridan, R. P., 1995
Sekimizu, K. See Hayashi, H., 1107
Selepova, P.
—; Kypr, J.: Computer Simulation of DNA Supercoiling in a Simple Elastomechanical Approximation, 867
Seltzer, J. P. See Zehfus, M. H., 2511
Sengupta, P. K.
—; Krimm, S.: Vibrational Analysis of Peptides, Polypeptides, and Proteins. XXXII. α-Poly(L-Glutamic Acid), 1479
Serafini-Fracassini, A.
—; Field, J. M.; Campbell, A. M.; Hunter, J. C.: Quaternary Structure of Elastin: Characterization of Multichain Peptide Fragments Obtained by Elastase Digestion, 1515
Serwer, P. See Griess, G. A., 1635
Sheridan, R. P.
—; Dixon, J. S.; Venkataraghavan, R.; Kuntz, I. D.; Scott, K. P.: Amino Acid Composition and Hydrophobicity Patterns of Protein Domains Correlate with Their Structures, 1995
Shibata, J. H. See Fujimoto, B. S., 1009; Langowski, J., 1023
—; Fujimoto, B. S.; Schurr, J. M.: Rotational Dynamics of DNA from 10^{-10} to 10^{-5} Seconds: Comparison of Theory with Optical Experiments, 1909
Sigman, D. S.
—; Spassky, A.; Rimsky, S.; Buc, H.: Conformational Analysis of Lac Promoters Using the Nuclease Activity of 1,10-Phenanthroline-Copper Ion, 183
Silver, F. H. See Bender, E., 2195
Simon, B. See Doster, W., 1543
Slater, G. W.
—; Noolandi, J.: Prediction of Chain Elongation in the Reptation Theory of DNA Gel Electrophoresis, 2181
Smith, J. C. See Wilson, W. D., 1941
Soman, K. V.
—; Ramakrishnan, C.: Solvent Accessibility Studies of β-Bends and Application to Cyclic Hexapeptides, 1205
Sorensen, O. W. See Frey, M. H., 2371
Spassky, A. See Sigman, D. S., 183
Spiro, T. G. See Fodor, S. P. A., 1493
Starr, P. A. See Fodor, S. P. A., 1493
Steiner, R. F.
—; Marshall, L.: Properties of the Aminotyrosine Derviatives of Calmodulin, 547
Stellwagen, N. C.
Effect of the Electric Field on the Apparent Mobility of Large DNA Fragments in Agarose Gels, 2243
Stevens, E. S. See Sathyanarayana, B. K., 1365
Stimpson, D. I.
—; Bloomfield, V. A.: Physical Properties of Rod-Shaped Molecules in Solution, 387
Stipanovic, A. J.
—; Giammatteo, P. J.; Robie, S. B.: Cross-Polarization/Magic-Angle Spinning ^{13}C-NMR of (1→6)-β-D-Glucan (Pustulan): Mechanism of Gelation, 2333
Stokke, B. T. See Mikkelsen, A., 1683
Stryer, L.
Molecular Design of an Amplification Cascade in Vision, 29
Subirana, J. A. See Vives, J., 1801
Sullivan, C. E. See Torchia, D. A., 65
Swenson, D. H. See Krueger, W. C., 1549
Szu, S. C. See Behe, M. J., 289

Takeda, K.
Kinetics of Coil to α-Helix to β-Structure Transitions of Poly(L-ornithine) in Low Concentrations of Sodium Dodecyl Sulfate, 683
Tamburro, A. M.
—; Gordini, D. D.: Poly(Pro-Nle-Gly): Can an Amorphus Polypeptide Take Up a Supramolecular Elastinlike Structure?, 1853
Tantravahi, U. See Latt, S. A., 77
Temussi, P. A. See Goodman, M., 1629
Texter, J. See Sathyanarayana, B. K., 1365
Thibault, J. F.
—; Rinaudo, M.: Interactions of Mono- and Divalent Counterions with Alkali- and Enzyme-Deesterified Pectins in Salt-Free Solutions, 2131
Thole, B. T. See Van Duijnen, P. Th., 735
Thom, D. See Welsh, E. J., 2301
Thomas, G. J., Jr. See Benevides, J. M., 667
—; Benevides, J. M.: An A-Helix Structure for Poly(dA–dT)·Poly(dA–dT), 1101

Thomas, T. J.
—; Bloomfield, V. A.: Quasielastic Laser Light Scattering and Electron Microscopy Studies of the Conformational Transitions and Condensation of Poly(dA-dT)·Poly(dA-dT), 2185
—; Bloomfield, V. A.; Canellakis, Z. N.: Differential Effects on the B-toZ Transition of Poly(dG-me^{5}dC)·Poly(dG-me^{5}dC) Produced by N^1- and N^8-Acetyl Spermidine, 725
Thompson, K. F. See Gierasch, L. M., 117
Tinoco, I., Jr. See Keller, D., 783
Toma, F.
—; Dive, V.; Fermandjian, S.; Darlak, K.; Grzonka, Z.: Preferred Solution and Calculated Conformations of Dermorphin and Analysis of Structure–Conformation–Activity Relationships in the Series [Ala^n]-Dermorphin, 2417
Toniolo, C. See Mutter, M., 1057; Narayanan, U., 1257
Torchia, D. A.
—; Hiyama, Y.; Sarkar, S. K.; Sullivan, C. E.; Young, P. E.: Multinuclear Magnetic Resonance Studies of Collagen Molecular Structure and Dynamics, 65
Torigoe, C. See Nishimura, Y., 1841
Trapane, T. L. See Urry, D. W., 2345
Tsuboi, M. See Hayashi, H., 1107; Nishimura, Y., 1841
Turner, J. E. See Hingerty, B. E., 427

Urry, D. W.
—; Trapane, T. L.; Prasad, K. U.: Phase-Structure Transitions of the Elastin Polypentapeptide–Water System Within the Framework of Composition–Temperature Studies, 2345

Van Boom, J. H. See Fujii, S., 243
Vanderhart, D. L. See Atalla, R. H., 421
Van Der Marel, G. See Fujii, S., 243
Van Duijnen, P. Th.
—; De Jager, J. C.; Thole, B. T.: Do Parallel β-Strands Have Dipole Moments? An *ab initio* Molecular-Orbital-Direct Reaction Field Study, 735
Varshavski, L. See Amir, D., 623
Vasilescu, D.
—; Mallet, G.: Demonstration of the Interaction of Cysteamine with DNA Using ^{23}Na NMR Technique, 1845
Vasmel, H.
Influence of Supercoiling on DNA Structure: Laser Raman Spectroscopy of the Plasmid pBR322, 1001
Vasquez, M.
—; Scheraga, H. A.: Use of Buildup and Energy-Minimization Procedures to Compute Low-Energy Structures of the Backbone of Enkephalin, 1437
Venanzi, C. A. See Liebman, M. N., 1721
Venkataraghavan, R. See Sheridan, R. P., 1995
Vergelati, C. See Perez, S., 1809
Vita, C. See Dalzoppo, D., 767
Vitoux, B. See Aubry, A., 1089
Vives, J.
—; Azorin, F.; Subirana, J. A.; Brack, A.; Mayer, R.: Solid-State Conformation of Some Basic Sequential Polypeptides, 1801
Voituriez, L. See Cadet, J., 897

Wallace, D.
The Role of Hydrophobic Bonding in Collagen Fibril Formation: A Quantitative Model, 1705
Wang, A. H.-J. See Fujii, S., 243
Wang, Y-H. See Wilson, W. D., 1941
Weinstein, H. See Liebman, M. N., 1721
Welsh, E. J.
—; Thom, D.; Morris, E. R.; Rees, D. A.: Molecular Organization of Glycophorin A: Implications for Membrane Interactions, 2301
Wemmer, D. E. See Langowski, J., 1023
Westerink, H. See Fujii, S., 243
Wetlaufer, D. B.
Prolyl Isomerization: How Significant for *in vivo* Protein Folding?, 251
Whitmore, R. E. See Atalla, R. H., 421
Wilson, W. D. See Chandrasekaran, S., 1963
—; Krishnamoorthy, C. R.; Wang, Y-H.; Smith, J. C.: Mechanism of Intercalation: Ion Effects on the Equilibrium and Kinetic Constants for the Interaction of Propidium and Ethidium with DNA, 1941
Winter, W. See Bosch, R., 961, 979
Wodak, S. J. See Janin, J., 509
Wunsch, E. See Peggion, E., 647, 2029
Wuthrich, K. See Frey, M. H., 2371

Yeh, Y. See Brown, R. A., 1265
Young, P. E. See Torchia, D. A., 65
Yu, C.-A. See Chen, C.-H., 883

Zehfus, M. H.
—; Seltzer, J. P.; Rose, G. D.: Fast Approximations for Accessible Surface Area and Molecular Volume of Protein Segments, 2511
Zeiger, A. R.
—; Ellis, J. S.; Maurer, P. H.: Synthesis and Characterization of Six Sequential Polypeptides Containing Tyrosine, Glutamic Acid, Alanine, and Glycine By Circular Dichroism and Difference Spectroscopy, 1215

Zhulina, E. B. See Birshtein, T. M., 2057
Zietz, S. See Belmont, A. S., 1301
Zimm, B. H. See Lumpkin, O. J., 1573
Zuiderweg, E. R. P.
—; Boelens, R.; Kaptein, R.: Stereospecific Assignments of ^{1}H-NMR Methyl Lines and Conformation of Valyl Residues in the *lac* Repressor Headpiece, 601
—; Scheek, R. M.; Kaptein, R.: Two-Dimensional ^{1}H-nmr Studies on the *Lac* Repressor DNA Binding Domain: Further Resonance Assignments and Identification of Nuclear Overhauser Enhancements, 2257
Zundel, G. See Bandekar, J., 1385

Subject Index to Volume 24

Absorption spectra, of Cu^{2+}-polypeptide complex, 1115
Accessible surface area, approximation for protein segments, 2511
Active site, BPTI, molecular dynamics of, 843
Activity coefficient, of ions in pectin solution, 2131
Adenine residue, vibrational spectra of normal coordinate analysis, 2357
Adsorption theory, for polypeptides on surfaces, 2057
Aggregation, of amylopectin, 441
—, of chemotactic peptides, 1131
—, of gastrin-related peptides, 2029
—, of oligo-γ-benzyl-L-glutamates, 2381
—, of tetra(γ-benzyl-L-glutamate), 585
Alamethicin, x-ray structure of 12-20 segment, 979
Alamethicin model, α-helical undecapeptide as, 961
Alanine oligopeptides, vibrational CD study, 1257
Albumin, bovine serum, low-temperature glass transition, 1785
Algae, crystalline cellulose from, 421
Allosteric transition, pathway in hemoglobin, 509
Amide I band, in collagen and related polypeptides role of bound water, 1449
—, vibrational CD study, 799
Amide I transition, in VCD of L-Ala oligopeptides, 1257
Amide A transition, in VCD of L-Ala oligopeptides, 1257
Amino acid composition, relationship to tertiary structure, 1995
Amino acid derivatives, volumetric behavior in water, 695
Amino groups, BPTI, selective protection of, 623
α-Aminoisobutyric acid, conformational preferences of, 1759
α-Aminoisobutyric acid residue, in alamethicin nonapeptide, 979
α-Aminoisobutyric acid residues, in helical peptide, 961
Aminotyrosine, derivative of calmodulin fluorescence of, 547
Amylopectin, pulsed field gradient nmr study size and shape of, 441
Amylose, calculated low-energy CD, 1365
Ancrod, rheology of clots prepared with, 461
Antifreeze glycoproteins, adsorption on ice mechanism of action, 1265
Antitumor agent, binding by DNA, RNA and DNA-RNA polymers, 1549
Array processor, in energy minimization, 1437
Assembly, of fibronectin matrix, 199
Atomic motions, compared for nucleic acids and proteins, 1189
Atomic partial charges, of deoxycytidine monophosphate, 327
ATP analogs, fluorescent, enzyme binding of, 9

Bacterioopsin gene, 157
Bacteriophage T7, ethidium binding by, 1635
Bacteriorhodopsin, membrane topography of monoclonal antibodies against, 157
Base, nucleic acid, benzo(a)pyrene diolepoxide adducts, 2279
Base composition, DNA, effect on torsional rigidity, 1009
Base-pairing, nucleic acid, and rates of ^2H-exchange, 667
Base specificity, DNA, modeled for ethidium binding, 1863
Base tilt, in A,T-containing polynucleotides, 825
β-Bend, in cyclic enkaphalin analogs, 935
—, in gastrin analogs, 2029
Bending rigidity, anisotropic, of DNA filaments, 1233
β-Bends, in cyclic hexapeptides identification of types solvent accessibility of, 1205
—, role in β-sheet formation, 565
lin-benzoadenosine, phosphate derivatives of, enzyme-bound fluorescence, 9
Benzo(a)pyrene diolepoxide, (+) and (−) conformations of adducts with dCpdG, 2279
γ-Benzyl-L-glutamate, aggregation of tetramer and polymer, 585
γ-Benzyl-L-glutamate oligomers, nmr conformational study aggregation of, 2381

Binding energies, calculated, of diamines to DNA, 1527
Biopolymers, as enzyme substrates, 257
Birefringence relaxation, of human bronchial mucin, 1683
Bitter molecules, model for receptor binding of, 1629
Black mamba proteins, folding energetics of, 167
Bleomycin, model for DNA interactions, 913
Blocking group, effect on conformation of glutamate oligomers, 2449, 2469, 2495
Born approximation, applied to chromatin model, 1301
Bovine pancreatic trypsin inhibitor, Monte Carlo simulation of, 527
Bovine pancreatic trypsin inhibitor (BPTI), folding energetics of, 167
—, molecular dynamics of active site, 843
—, tryptic peptide mapping N-terminal fluorescent labeling of, 623
Bovine serum albumin, diffusion through polymer solutions, 379
Brillouin scattering, from DNA, 2035
—, of lysozyme in solution, 1543
5-Bromodeoxyuridine, fluorescence quenching by, 77
Brownian dynamics simulation, of superoxide dismutase, 1323
B-Z transition, temperature and salt effects, 289

Calcium ion, pectin binding, 2131
—, role in vision cascade, 29
Calmodulin, aminotyrosine derviatives of calcium binding, 547
Carbonic anhydrase, bovine, non-cooperative melting of, 1899
Carboxypeptidase A, crystal structure hydrophobicity electrostatic complementarity in complexes with inhibitors, 1721
Carcinogens, enantiomeric, conformations of adducts with dCpdG, 2279
κ-Carrageenan, conformation of microcalorimetry of, 731(E)
Cascade, mechanism of, in vision, 29
CC-1065, binding by DNA, RNA and DNA-RNA polymers, 1549
CD, of aminotyrosyl calmodulin, 547
—, anomalies in spectra of large molecules, 1595
—, of CC-1065 bound to nucleotide structures, 1549
—, of DNA B-Z transition, 725
—, of elastin polypentapeptide coacervation, 2345
—, of gastrin fragments, 647
—, of gastrin-related peptides, 2029
—, of glycophorin A, 2301
—, induced, of Cu^{2+}-polypeptide complex, 1115
—, low-energy, calculated for glucans, 1365
—, measured and calculated, of poly(L-ornithine), 683
—, of poly(dG-m^5dC) B-Z transition, 905
—, of polynucleotides, 289
—, of poly(Pro-Nle-Gly), 1853
—, protein refolding studies, 279
—, of sequential polypeptides, 1215
—, of signal peptides, 117
—, stopped-flow, of poly(L-ornithine) conformational change, 683
—, study of host-guest peptides, 1057
—, of thermolysin fragments, 767
—, of β-turn model peptides, 211
—, of β-turn peptides, 2045
—, vibrational, of L-Ala oligopeptides in film, 1257
—, vibrational, of poly(γ-benzyl-L-glutamate), 799
CD theory, for infinite helical polymers, 1337
Cellulose, *Rhizoclonium hieroglyphicum* cell wall, crystallinity of, 421
Charge distribution, calculated, for β-sheet model, 735
Chemotactic peptides, 1131
Cholecystokinin fragments, ^{1}H-nmr studies fluorescence transfer studies, 1663
Chromatin, solenoid-like model for calculated CIDS spectrum, 1301
Chromosome sorting, enriching recombinant libraries by, 77
CIDS, calculated from chromatin model, 1301
Circular DNA, Raman conformational study of, 1107
Circular intensity differential scattering (CIDS), calculated for two geometries, 783
—, simplified expressions for, 1595
Circularly polarized light, calculated scattering of, 783
Coacervation, of elastin polypentapeptide in water, 2345
Collagen, ir study of Amide I band polytripeptides related to role of bound water, 1449
—, phase diagram for free energy of fibril formation, 1705
—, role of proline in packing of, 581(E)
—, segment long spacing handling pattern studies, 2195
—, solid state nmr studies of, molecular dynamics of, 65
Collagen fibrils, free energy of formation hydrophobic bonding in, 1705
Complex, of Cu^{2+} with poly{Cys[$(CH_2)_{1,2}$COOH]}, 1115
Compressibility, of lysozyme in solution, 1543
Computer modeling, of polysaccharide helices, 1809

Computer simulation, of DNA supercoiling, 867
Concanavalin A, biantennary glycopeptide complex, 49
—, binding to glycopeptide of biantennary-complex class, 1387(E)
Condensation, DNA, reversed by electric-field pulses, 1981
Condensation theory, in DNA-intercalator interactions, 1941
Conductimetry, transport parameters from study of pectin-ion binding, 2131
Conformation, of (Ala/Val) copolypeptides, 2113
—, of a thermolysin fragment, 767
—, of bleomycin-DNA complexes, 913
—, calculated, of cyclic enkaphalin analogs, 935
—, of chemotactic tripeptides, 1131
—, crystal state, of dehydrophenylalanine, 639
—, of cystine peptides, 2041
—, DNA, effect on ^{2}H-exchange rates, 667
—, DNA, probed with 1,10-phenanthroline-copper, 183
—, of DNA, RNA and DNA-RNA structures, 1549
—, of DNA duplexes by 2D-NOE, 747
—, of gastrin and cholecystokinin fragments, 1663
—, of gastrin fragments, 647
—, of gastrin-related peptides, 2029
—, of H-active oligosaccharides, 2207
—, of phage capsid DNA, 1635
—, of poly(dG-m^{5}dC) by CD, 905
—, of polynucleotides, 289
—, of sequential polypeptides by CD, 1215
—, of valyl sidechains, 601
Conformational analysis, of cyclic peptides of signal peptides, 117
—, polypeptide, statistical-mechanical treatment, 1391
—, polypeptide, using buildup and energy minimization, 1437
Conformational calculations, cyclic somatostatin inhibitor, 97
Conformational change, in poly(L-ornithine), 683
Conformational energy calculations, of carcinogen-base adducts, 2279
—, of α,α-dialkyl residues, 1759
—, on H-active oligosaccharides, 2207
—, for myoglobin helix packing, 1271
—, on phenylacetyl-D-alanyl-D-alanine, 2087
Conformational transition, coupled to adsorption, 2057
Conformations, fluctuating, simulation for proteins, 527
—, transient, in DNA duplexes nmr relaxation study, 711
Cooperativity, in β-sheet formation, 565
Copolypeptides, Ala/Val, conformation of, 2113
Creep and creep recovery, of fibrin clots, 461
Crystal structure, of alamethicin segment 12-20, 979
—, carboxypeptidase A, methods of analysis, 1721
—, of dehydrophenylalanine derivative, 639
—, of α-helical undecapeptide, 961
—, high resolution, of 2′-deoxycytidine 5′-monophosphate, 327
—, of phenylacetyl-D-alanyl-D-alanine, 2087
—, of thymine dimers, 897
Crystal structures, of Pro–Pro dipeptides, 1089
Cu^{2+}, complex with Poly[Cys[$(CH_2)_{1,2}$COOH]], 1115
Cyclic enkephalins, amide bond reversal in, 137
Cyclic hexapeptides, β-bends in, 1205
Cyclic peptides, conformational calculations, 97
—, synthetic, nmr studies of, 117
Cysteamine, interaction with DNA, 1845
Cystine, disulfide exchange, 199
—, stabilization of γ-turns by, 2041
Cytochrome *c* oxidase, effect on lipid phase transitions, 883

Daunomycin, thermodynamics of DNA binding, 403
Deformation, shear, of fibrin clots, 461
Deformation density maps, for deoxycytidine monophosphate, 327
Dehydrophenylalanine, crystal structure of derivative of, 639
Denaturation maps, for plasmid DNA, 359
Density, of aqueous solutions of amino acid derivatives, 695
Deoxycytidine monophosphate, atomic partial charges of x-ray diffraction study of, 327
Dermorphin [Ala^2] analogs activity of nmr conformation study energy minimization, 2417
Deuteration, assignment of homo-oligomer resonances by, 2431, 2449, 2469, 2495
Deuterium exchange, in DNA and RNA, 667
α,α-Dialkylamino acid residues, conformational preferences of, 1759
Diamines, aliphatic, model for DNA binding, 1527
Dielectric function, for metal binding modified for small distances, 427
Diethyl glycine, conformational preferences of, 1759
Difference spectroscopy, of sequential polypeptides, 1215
Differential scanning calorimetry, of helix–coil transition, 1823

Differential scanning microcalorimetry, of lipid vesicles, 883
Diffusion, mutual, of Na-polystyrene sulfonate, 1501
—, of proteoglycan subunit, 2165
—, of rod-shaped molecules, 387
—, rotational, of rodlike molecules, 947
—, translational, of rodlike molecules, 947
—, translational and rotational, of hinged dumbell of locally flexible macromolecules, 2145
Diffusion coefficient, of BSA in polymer solutions, 379
—, calculated using neutron spin-echo technique, 1769
Diffusion coefficients, electric field dependence of, 1247
Diffusion-controlled reactions, rate-enhancement of, 1323
Diffusion model, for enzymes on polymer surfaces, 257
Diketopiperazine, structure-taste relationship, 1629
Dimer, twisted, expressions for CIDS of, 1595
Dimyristoylphosphatidylcholine, microcalorimetry of vesicles of, 883
Dinucleoside phosphates, interaction of ethidium with, 1863
Dipolar interactions, between magnetically equivalent nuclei, 1157
Dipole moment, calculated, for β-sheet model, 735
Dipropyl glycine, conformational preferences of, 1759
Dissociation-field effect, on DNA condensation, 1981
Disulfide, stabilization of γ-turns by, 2041
Disulfide bonds, role in protein folding, 279
Disulfide exchange, role in fibronectin assembly, 199
DNA, A-, B- and Z-forms, ^{2}H-exchange rates vs. RNA laser Raman study, 667
—, A-form, Raman study, 1101
—, A-form, role of inter-duplex association poly(dG)·poly(dC) in H_2O, 1841
—, A-to-B transition interhelical interactions, 2035
—, bacteriophage, ethidium binding by, 1635
—, B- and Z-forms, 2D-NOE study of, 747
—, B-form, model of diamine binding to, 1527
—, B-to-X transition and condensation, 2185
—, B-to-Z transition, for poly(dG-m^{5}dC), 905
—, B-to-Z transition of, effect of polyamines, 725
—, B-Z transition of, temperature and salt effects, 289
—, CD study of CC-1065 complex, 1549
—, closed-circular, Raman conformational study of, 1107
—, condensation dynamics, 1981
—, daunomycin binding thermodynamics, 403
—, dipolar interactions in, 1157
—, electrophoresis of, 2243
—, energy transfer to terbium, 1293
—, ^{1}H- and ^{31}P-nmr of intercalator complexes, 1963
—, interaction with bleomycin, 913
—, interaction with cysteamine, 1845
—, intercalator binding and kinetics, 1941
—, long, gel electrophoresis stretching in electric field, 2181
—, plasmid pBR322, laser Raman spectroscopy of, 1001
—, ring-closure probability, 1881
—, rotational dynamics in nucleosomes, 1931
—, rotational dynamics theory of optical anisotropy, 1909
—, short, torsional dynamics of twisting correlation function for, 1009
—, supercoiled, Raman conformational study of, 1107
—, thermodynamics of ethidium binding computer modeling of ethidium complexes, 1863
—, Z-form, hexagonal lattice for octamers crystallizing as, 243
DNA B-to-Z conversion effect of CsF on Raman Studies of, 1493
DNA conformation, probed with 1,10-phenanthroline-copper, 183
DNA duplexes, transient conformations of proton exchange in, 711
DNA electrophoresis, reptation theory of, 2181
—, theory of, 1573
DNA filaments, anisotropic bending rigidity finite torsional rigidity persistence length, 1233
DNA melting, plasmid, electron microsopy study theory vs. experiment, 359
DNA oligomers, assignment of ^{1}H- and ^{31}P-resonance in homo- and heteronuclear correlation spectroscopy, 2371
DNA probes, 77
DNAs, supercoiled, nmr relaxation of, 1023
DNA supercoiling, computer simulation, 867
Docking algorithm, applied to hemoglobin subunits, 509
Docking algorithm applied to flavodoxin α-helices, 1613
Domains, protein, prediction of structural class, 1995
—, thermolysin, role in folding, 767
Dyes, DNA-specific, as metaphase chromosome stains, 77
Dynamic light scattering, computer simulation of proteoglycan subunit, 2165
—, of supercoiled DNA, 1023

Elastin, quaternary structure of model for primary filament, 1515

Elastin polypentapeptide, CD study of coacervation phase diagram in water synthesis of, 2345
Elastomechanical model, for DNA supercoiling, 867
Electric field, effect on DNA electrophoresis, 2243
Electric-field pulses, DNA condensation reversed by, 1981
Electron, microscopy, of poly(Pro-Nle-Gly), 1853
Electron microscopy, of condensed DNA, 2185
—, of DNA melting, 359
—, of fibrin clots, 461
—, of human bronchial mucin, 1683
—, of microtubules, 2403
Electrophoresis, DNA, theory of, 1573
Electrophporesis, agarose gel, of DNA fragments electric field effects on, 2243
Ellipsoid, accessible surface area volume, 2511
Empirical potential energy functions (ECEPP), 1437
—, compared to statistical mechanical algorithm (SMAPPS), 1391
Energy minimization, of dermorphin and [Ala^n] analogs, 2417
—, of ethidium-DNA complexes, 1863
Energy transfer, between chromosome-bound dyes, 77
—, from nucleotides to terbium heavy atom effects in, 1293
Enkaphalins, cyclic, effect of ring size on conformation, 935
Enkephalin, structures calculated with new algorithm, 1391, 1437
Enkephalins, cyclic, *retro-inverso* analogs of, 137
—, nmr studies of lipid interactions, 105
Entropy, of hydrophobic solutes in water, 813
—, of lipid chains, reduced by protein, 613
Enzyme kinetics, models for superoxide dismutase, 1323
Enzymes, and biopolymer substrates surface diffusion model for, 257
—, interaction with adenylate analogs, 9
Equilibrium sedimentation, of cross-linked elastin peptides, 1515
Errata, 581, 731, 1385, 1387
Ethidium, computer modeling of DNA binding, 1863
—, DNA binding and kinetics, 1941
—, nmr of DNA complexes, 1963
Ethidium bromide, binding by phage T7 and mutants, 1635
—, effect on DNA torsional dynamics, 1009

Fibrin clots, prepared with ancrod rheological properties, 461
Fibrinogen, rate of clotting by thrombin and ancrod, 461
Fibronectin, mechanism of matrix assembly disulfide exchange in, 199
Flexibility, localized, in macromolecules, 2145
—, segmental, neutron spin-echo study of pig immunoglobulin G, 1769
Flow birefringence, of rod-shaped molecules, 387
Flow cytometry, fluorescent dyes in, 77
Fluorescence, applications to cytogenetics, 77
—, of ATP analogs, 9
—, of daunomycin-DNA complexes, 403
—, of terbium-nucleotide complexes, 1293
Fluorescence polarization anisotropy, of DNA-ethidium complexes, 1023
—, of poly(dGdC)-ethidium complexes, 1009
—, and rotational dynamics of DNA, 1909
Fluorescence study, of aminotyrosyl calmodulin, 547
—, of ethidium binding by phage T7 DNA, 1635
Fluorescence transfer, in gastrin and cholestokinin fragments, 1663
Fluorescent labeling, of BPTI N-terminus, 623
Folding, protein, CD studies of theoretical model for, 279
—, protein, role of prolyl isomerization in, 251
Folding kinetics, of small proteins, 167
Folding pathway, effect of interhelix interactions, 1271
Fourier self-deconvolution, of vibrational CD of poly(γ-Bzl-L-Glu), 799

Gastrin, conformation of analogs of, 2029
Gastrin fragments, CD studies of conformation as function of length, 647
—, ^{1}H-nmr studies fluorescence transfer studies, 1663
Gelation, polysaccharide, mechanism of, 2333
Gel electrophoresis, DNA, theory of, 1573
—, of ethidium-treated bacteriophage, 1635
—, of long DNA chains pulsed field, 2181
Gentiobiose, calculated low-energy CD, 1365
Global minimum, 1437
Glucans, calculated low-energy CD, 1365
Glutamate oligomers, POE-bound, conformation in $CDCl_3$, 2449
—, POE-bound, conformation in trifluoroethanol, 2469
—, POE-bound, conformation in water, 2495
—, POE-bound, synthesis of conformation in DMSO-d_6, 2431
Glycopeptides, biantennary complex class, model for Con-A binding, 49
Glycophorin A, CD conformational study intrinsic viscocity predicted secondary structure, 2301
Glycoproteins, antifreeze, adsorption on ice mechanism of action, 1265
—, of ovarian cyst mucin, 2207
GTP, role in vision cascade, 29

Guanine residue, normal coordinate analysis, 1075
Guanosine, reaction with methyl N-cyanomethanimidate, 9

Hartree theory, time-dependent, in calculation of low-energy CD, 1365
α-Helical content, by ^{13}C-nmr CP/MAS, 2113
Helical packing, in basic sequential polypeptides, 1801
Helical parameters, unified model for all polymers of polysaccharides, 1809
Helical polymers, infinite, quantum mechanical theory of CD, 1337
Helical structure, stability for α,α-dialkyl residues, 1759
3_{10}-Helical turns, in alamethicin segment 12-20, 979
α-Helical turns, in alamethicin segment 12-20, 979
Helices, DNA, interaction between, 2035
—, small, expressions for CIDS of, 1595
Helix, circular intensity differential scattering by, 783
α-Helix, of Aib-containing peptide, 961
—, algorithm for modeling surface of, 1613
Helix clusters, intramolecular, theoretical treatment, 2231
Helix–coil transition, and helix–helix interactions, 2231
—, ORD study of muscle proteins, 1647
—, in organic solvent mixtures thermodynamics for poly(γ-benzyl-L-Glu), 1823
Helix–helix interaction, model for intramolecular clustering, 2231
Helix-helix interactions, computer modeling of, 1613
α-Helix interactions, effect on folding pathway, 1271
α-Helix packing, arrangement in myoglobin, 1271
α-Helix potential, effect of guest residue on, 1057
Hemoglobin, simulated allosteric transition, 509
Hexamine cobalt ($Co(NH_3)_6^{3+}$), induction of B-to-X transition and condensation in DNA, 2185
Hexanucleoside phosphates, interaction of ethidium with, 1863
Host-guest approach, to peptide secondary structure, 1057
Hydrodynamics, of locally flexible macromolecules, 2145
Hydrogen bond, characteristic of 2_7 helix, 2381
Hydrogen bonding, in alamethicin segment 12-20, 979
—, in α-helical undecapeptide, 961
—, in phenylalanine tRNA simulation, 1169
—, quantum-mechanical calculations structures in globular proteins, 491
Hydrogen bonds, and protein stability, 167
Hydrogen exchange, in globular proteins, 301
Hydrophobic bonding, in collagen fibril formation, 1705
Hydrophobicity, correlation to tertiary structure, 1995
—, physical origin of, 813
Hydroxyproline, *cis-trans* isomerization of, 65
Hysteresis, in DNA condensation, 1981

Imino acid residue, studies of, 2195
Immunoglobulin G, pig, segmental flexibility and diffusion neutron spin-echo study, 1769
Intercalation, model for bleomycin, 913
—, thermodynamics for daunomycin, 403
Intercalators, DNA binding and kinetics, 1941
—, nmr of DNA complexes, 1963
Intrinsic viscocity, of human glycophorin A, 2301
Ionic effects, on DNA-intercalator binding, 1941
—, nmr study in DNA, 1963
Ionic strength, effect on daunomycin-DNA binding, 403
Ir, of carbonic anhydrase melting, 1899
—, of cell-wall peptide analog, 2087
—, of chemotactic tripeptides, 1131
—, study of host-guest peptides, 1057
—, of β-turn model peptides, 211
Ir studies, of α-helical poly(L-Glu), 1479
Ir study, of Amide-I band in collagen, 1449
3-isoadenosine, phosphate derviatives of, enzyme binding, 9
Cis-trans isomerization, of Pro and Hyp in collagen, 65
—, of proline in protein folding, 251
Isosteres, depsipeptide, 137

Kinetics, of enzyme-biopolymer reactions, 257
—, of enzyme-substrate binding, 1323
—, of poly(L-Orn) conformational change, 683

Labeling, selective, of BPTI N-terminus, 623
Lac promoter, conformational analysis of 1,10-phenanthroline-copper cleavage of, 183
Lac repressor headpiece, nmr conformational studies, 2257
Laser Raman spectroscopy, of plasmid pBR322 DNA, 1001
LD, of A,T-containing polynucleotides, 825
Lectin-glycopeptide binding, 49
Ligand binding kinetics, electrostatic effects in, 1323
Light scattering, angular dependence of, for tetra(γ-benzyl-L-glutamate), 585
—, calculated for circularly polarized light, 783
—, dynamic, of supercoied DNAs, 1023
—, laser, by long rigid rods, 947
—, of proteoglycan type H, 483
—, quasielastic, study of salt effect on Na-polystyrene sulfonate, 1501

Lipid-protein interactions, microcalorimetry of, 883
Lipids, interactions with enkephalins, 105
—, protein-induced ordering, 613
Liquid phase method, synthesis of glutamate oligomers, 2431
Liquid phase peptide synthesis, 1057
Loops, between adjacent helices, 2231
—, interstrand, role in β-sheet formation, 565
Lysozyme, hen egg-white, low-temperature glass transition, 1785
—, high frequency compressibility of, 1543
—, hydrogen exchange in, 301

Macromolecules, locally flexible, hydrodynamics of hinged dumbell model of, 2145
Maltose, calculated low-energy CD, 1365
Mannose, α-methyl, binding to Con-A, 49
Matrix, extracellular, incorporation of fibronectin, 199
Melting, non-cooperative, of carbonic anhydrase, 1899
—, plasmid DNA, electron microscopy study theory vs. experiment, 359
Membrane, erythrocyte, interaction of glycophorin A with, 2301
Meromyosin, light, ORD of helix-coil transition, 1647
Metal ions, binding to guanyl-3′,5′-cytidine modified dilectric function for, 427
Micelles, nmr of enkephalins bound by, 105
Microcalorimetry, of carbonic anhydrase melting, 1899
—, of κ-carrageenan, 731(E)
—, of protein-lipid interactions, 883
Microtubules, electron microscopy of length distribution from QELS, 2403
Minimum energy conformations, of bleomycin-DNA complexes, 913
Molecular dynamics, of collagen, 65
—, stochastic boundary, of BPTI active site, 843
Molecular dynamics simulation, of phenylalanine transfer RNA, 1169
—, protein vs. tRNA atomic motions, 1189
Molecular mechanics, of ethidium-DNA complexes, 1863
Molecular model, of Con-A-glycopeptide complex, 49
Molecular orbital calculations, of β-sheet charge distribution, 735
Ab-initio molecular-orbital calculations, on hydrogen-bonded bridges, 491
Molecular recognition, algorithm for surface modeling, 1613
Molecular weight distribution, of cross-linked elastin peptides, 1515
Monoclonal antibodies, against bacteriorhodopsin, 157
Monte Carlo algorithm, for importance sampling, 1391
Monte Carlo simulation, of fluctuating protein conformations, 527
Monte Carlo treatment, of ring-closure probability, 1881
Mucin, human, flexibility and length of, 1683
Myoglobin, α-helix packing in, 1271
—, sperm whale, low-temperature glass transition, 1785
Myosin, ORD of helix-coil transition, 1647

lin-Naphthoadenosine, enzyme-bound fluorescence, 9
2-Naphthoxyacetic acid, as N-terminal fluorescent probe, 623
Neutron spin-echo technique, study of immunoglobulin G segmental flexibility, 1769
Nmr, ^{13}C-, cross-polarization/magic angle spinning of (Ala/Val) copolypeptides, 2113
—, ^{13}C-, relaxation of poly(L-glutamic acid), 1147
—, cross-polarization/magic angle spinning ^{13}C-, of (1-to-6)-β-D-glucan (pustulan), 2333
—, of dermorphin and [Ala^2] analogs, 2417
—, double quantum, of *Lac* repressor headpiece, 2257
—, ^{1}H-, and ^{31}P-, of DNA-intercalator complexes, 1963
—, ^{1}H-, of gastrin and cholecystokinin fragments, 1663
—, ^{1}H-, of oligo-γ-benzyl-L-glutamates, 2381
—, ^{1}H-, of POE-bound glutamate oligomers in $CDCl_3$, 2449
—, ^{1}H-, of POE-bound glutamate oligomers in DMSO-d_6, 2431
—, ^{1}H-, of POE-bound glutamate oligomers in TFE, 2469
—, ^{1}H-, of POE-bound glutamate oligomers in water, 2495
—, high resolution, of enkephalin-lipid interactions, 105
—, homo- and heteronuclear correlation spectroscopy, 2371
—, multinuclear solid state, of collagen, 65
—, ^{15}N-, of (Ala/Val) copolypeptides, 2113
—, ^{23}Na-, study of cysteamine-DNA interaction, 1845
—, of oligosaccharides, 2207
—, ^{31}P-, of $d(GCATGC)_2$, 2371
—, of peptide disulfides, 2041
—, pulsed field gradient, of amylopectin, 441
—, solid state ^{13}C-, of *Rhizoclonium hieroglyphicum* cellulose, 421
—, of β-turn model peptides, 211
—, of β-turn peptides, 2045
—, two-dimensional, for sequence-specific resonance assignment, 2371
—, two-dimensional, of peptide-lipid interactions, 117

—, two-dimensional, of *Lac* repressor headpiece, 2257
—, two-dimensional, of *lac*-repressor headpiece of valyl sidechains, 601
Nmr relaxation, of DNA duplexes, 711
Nmr relaxation studies, of supercoiled DNAs, 1023
Nmr relaxation study, dipolar interactions in poly(dA)-poly(dT), 1157
Nmr studies, of chemotactic tripeptides, 1131
Normal coordinate analysis, of adenine residue, 2357
Normal mode analysis, of α-helical poly(L-Glu), 1479
—, of Poly(U)-Mg^{+2}, 1385(E)
Nuclear Overhauser enhancement, 2D, in *lac*-repressor headpiece Scalar coupling, from 2D COSY, 601
—, dipolar interactions not revealed by, 1157
—, identification of in 2D spectra study of *Lac* repressor headpiece, 2257
—, of oligosaccharides, 2207
Nuclear Overhauser enhancement spectroscopy, 2D, to distinguish B- and Z-DNA, 747
Nucleic acid constituents, atomic partial charges of, 327
Nucleic acids, atomic motions compared to those of proteins, 1189
—, LD of, 825
Nucleoside, electrostatics of metal binding, 427
Nucleosomes, rotational dynamics of DNA in, 1931
Numerical analysis, of DNA supercoiling, 867

Oligomers, DNA, crystallizing in Z-form, 243
Oligosaccharides, blood-group active, nmr conformational studies conformational energy calculations, 2207
Opiate activity, of dermorphin vs [Ala^a] analogs, 2417
Optical rotatory dispersion, of helical polymers in mixed solvents, 1823
Optical rotatory dispersion (ORD), of helical muscle proteins, 1647

Packing arrangements, computed for α-helices, 1271
Partial molar volume of amino acid derivatives in water, 695
Pectins, Ca^{2+} and Na^+ binding, 2131
Pencillin G, compared to cell-wall peptide, 2087
Peptide, analog of cell wall, conformational studies, 2087
Peptide conformation, γ-turns, 2041
Peptide-membrane interactions, 105
Peptides, chemotactic, aggregation of, 1131
—, volumetric behavior in water, 695
Peptide sweeteners, homologous series of, 137
Phase diagram, for collagen, 1705
Phase transition, of lipid-protein solution, 613
Phase transitions, of elastin polypentapeptide in water, 2345
—, and polypeptide conformation, 2057
Phenylalaninol, in alamethicin segment 12-20, 979
Photon correlation spectroscopy, of rodlike molecules, 947
Plasmid DNA, Raman conformational study of, 1107
Plasmid DNAs, nmr relaxation of, 1023
Plasmid pBR322 DNA, laser Raman spectroscopy of, 1001
Polyamines, effect on B-Z transition, 725
Poly(γ-benzyl-L-glutamate), helicity in organic solvent mixtures, 1823
—, vibrational CD of, 799
Poly(γ-benzyl-L-glutamate) intermolecular association of, 585
Poly[Cys[$(CH_2)_{1,2}$COOH]≪bcrt structure of Cu^{2+} complex, 1115
Poly(dA-dT), 2D-NOE conformation study, 747
Poly(dA–dT)-(dA-dT), A-helix found for Raman study of, 1101
Poly(dA-dT)-poly(dA-dT), B-to-X transition and condensation quasielastic light scattering of electron microscopy of, 2185
Poly(dA-dT)-poly(dA-dT) Raman study of B-Z conversion, 1493
Poly(dA)-poly(dT), LD study of base tilt, 825
—, NOE-silent dipolar interactions, 1157
Poly(dAT)-poly(dAT), LD study of base tilt, 825
Polydepsipeptides, as isosteric peptide analogs, 137
Poly(dG-dC), B-Z transition in, 289
—, torsional dynamics of, 1009
Poly(dG-dT)-poly(dA-dC), Raman study of B-Z conversion, 1493
Poly(dG-m^5dC), B-Z transition in, 289
—, CD of B- and Z-forms, 905
—, 2D-NOE conformation study, 747
Poly(dG-me^5dC)-poly(dG-me^5dC) B-Z transition of, 725
Poly(dG)-poly(dC), Raman study of A-form found in H_2O solution, 1841
Polydispersity, of amylopectin, 441
—, in solutions of rod-shaped molecules, 387
Polyelectrolyte, salt effect on diffusion of, 1501
Poly(L-Glu), α-helical, ir spectroscopy normal modes, 1479
Poly(L-glutamic acid), ORD of helix-coil transition, 1647
Poly(L-glutamic acid) rotational diffusion of, 1147
Polyions, motions coupled to small ions, 1247
Poly(lysine), diffusion of quasielastic light scattering study, 1247

—, ORD of helix-coil transition, 1647
Poly(γ-methyl-L-glutamate), helicity in organic solvent mixtures, 1823
Polynucleotides, energy transfer to terbium, 1293
Poly(L-ornithine), CD study in SDS solution α-to β transition, 683
Poly(oxyethylene), glutamate oligomers bound to, 2431, 2449, 2469, 2495
Polypeptides, basic sequential, solid state conformation of, 1801
—, representation of helical parameters, 1809
Poly(Pro-Nle-Gly), formation of elastin-like filaments conformation of, 1853
Polysaccharides, gelation by crystallization, 2333
—, helical parameters, 1809
Polystyrene sulfonate, sodium salt, salt effect on diffusion of light scattering study of, 1501
Poly(U)-Mg^{+2}, normal mode analysis ir and Raman spectroscopy, 1385(E)
Potential energy function, nucleic acid, experimental partial charge parameters for, 327
Potentiometry, in study of pectin-ion binding, 2131
Primary structure, protein, relationship to higher structure, 1995
Probability density function, in statistical mechanical algorithm for protein structure, 1391
Probability density functions, for protein hydrogen exchange, 301
Proline, conformation in Pro–Pro sequences, 1089
—, *cis-trans* isomerization of, 65
—, *cis-trans* isomerization role in protein folding, 251
—, role in collagen packing, 581(E)
—, in β-turn model peptides, 211
Proline and hydroxyproline residues, model studies, 2195
Promoters, reactivity to 1,10-phenanthroline-copper, 183
Propidium, DNA binding and kinetics, 1941
—, nmr of DNA complexes, 1963
Protection, selective, of ε-amino groups, 623
Protein, thermodynamics of lipid ordering, 613
Protein crystals, viscoelastic properties, 1785
Protein dynamics, Monte Carlo simulation, 527
Protein films, viscoelastic properties, 1785
Protein folding, cardboard box model of energetics of, 167
—, CD studies of theoretical model for, 279
—, role of domains in, 767
—, *in vivo*, kinetics of role of prolyl isomerization, 251
Protein-lipid interactions, microcalorimetry of, 883
Proteins, globular, hydrogen exchange in, 301
—, globular, model of hydrogen-bonding in, 491
Protein segments, accessible surface area molecular volume, 2511
Protein structure, methods of analysis, 1721
—, pattern recognition in predication of domain structure, 1995
—, revealed by proton exchange, 301
Proteoglycan, type H, light-scattering study molecular weight determination, 483
Proteoglycans, dynamic light scattering of ionic strength dependence of diffusion, 2165
Proton exchange, and transient conformations in DNA, 711
Pustulan, calculated low-energy CD, 1365

Quantum-mechanical calculations, on hydrogen-bonded structures, 491
Quantum mechanical theory of CD, for infinite helical polymers, 1337
Quasielastic light scattering, in a sinusoidal electric field (QELS-SEF), 1247
—, by long rigid rods, 947
—, of microtubule preparations, 2403
—, of poly(dA-dT)·poly(dA-dT) condensation, 2185
—, of protein-polymer mixtures, 379
—, study of salt effect on Na-polystyrene sulfonate, 1501
Quaternary structure, docking simulation for hemoglobin, 509

Raman bands, calculated, for guanine residue, 1075
Raman scattering, from DNA, 2035
Raman spectra, of plasmid pBR322 DNA, 1001
Raman spectroscopy, of cell-wall peptide analog, 2087
—, of DNA and RNA H-exchange, 667
—, of plasmid DNA, 1107
—, of poly(dA–dT)·(dA–dT) A-helix, 1101
—, of poly(dG)·poly(dC) in H_2O, 1841
—, of Poly(U)-Mg^{+2}, 1385(E)
Raman studies, of α-helical poly(L-Glu), 1479
—, of poly(dG-dT)·poly(dA-dC) of poly(dA-dT)·poly(dA-dT), 1493
Random coil state, suppression of, 581(E)
Recognition, molecular, algorithm for surface modeling, 1613
Relaxation, of imino protons in DNA, 711
—, of poly(L-glutamic acid), 1147
Lac-repressor, 2D-nmr of DNA-binding domain, 601
Rhodopsin, bovine, compared to bacteriorhodopsin, 157
—, role in vision cascade, 29
Ring closure, probability for wormlike chains, 1881
RNA, CD study of CC-1065 complex, 1549

—, ^{2}H-exchange rate vs. DNA, 667
—, transfer, molecular dynamics simulation, 1189
RNA transfer, molecular dynamics simulation, 1169
Rods, hydrodynamics of scattering of, 387
—, long, quasielastic light scattering by, 947
Rotational diffusion, of poly(L-glutamic acid), 1147
Rotational dynamics, of nucleosomal DNA, 1931
—, theory for DNA, 1909
Rubredoxin, model from hydrogen-bonding in, 491

Salt effects, on B-Z transition of DNA, 289
—, on DNA-daunomycin binding, 403
Scattering, angular dependence of, for tetra(γ-benzyl-L-glutamate), 585
—, light, of proteoglycan type H, 483
—, light by rod-shaped molecules, 387
Secondary structure, in host-guest peptides, 1057
Secondary structure prediction, for glycophorin A, 2301
Second harmonic generation, in ice surface with adsorbed antifreeze proteins, 1265
Self-association, of proteoglycan type H, 483
Self-diffusion coefficient, of amylopectin, 441
Sequence-dependent variable *h*-spacing, correlation of with densitometric scans with theoretical scans, 2195
Sequence polypeptide, elastin-like structure of, 1853
Sequential polypeptides, basic, solid state conformation of, 1801
—, synthesis and CD studies, 1215
β-Sheet, calculated charge distribution, 735
β-Sheet formation, matrix treatment of role of interstrand loops in, 565
Side-chain interactions, stabilization of β-turns by, 2045
Signal peptides, synthetic, membrane interactions role in secretion, 117
Sodium dodecyl sulfate, effect on poly(L-Orn) conformation, 683
Sodium ion, pectin binding, 2131
Solubility, biopolymer, effect on enzyme action, 257
—, water, of non-polar solutes, 813
Solvent, effect on peptide conformation, 1057
Solvent accessibility, of β-bends, 1205
Solvent effects, on conformation of glutamate oligomers, 2449, 2469, 2495
Somatostatin antagonist, conformational calculations, 97
Spermidine, induction of B-to-X transition and condensation to DNA, 2185
—, N-acetyl, effect on B-Z transition, 725
Statistical mechanical algorithm, for predicting protein structure (SMAPPS), 1391
Stereospecific assignments, of valyl methyl groups, 601
Stopped-flow kinetics, of DNA-intercalator binding, 1941
Structural analysis, protein, distance matrix method linear distance plot method, 1721
β-Structure, correlated to aggregation, 2381
—, effect of adsorption on, 2057
—, found for alternating sequential polypeptides, 1801
—, in VCD of L-alanine oligopeptides, 1257
Structure-activity relationship, of a bitter diketopiperazine, 1629
Structure-activity studies, strategies for peptides, 137
β-Structure content, by ^{13}C-nmr CP/MAS, 2113
β-Structure potential, effect of guest residue on, 1057
Substitutions, effect on dermorphin conformation, activity, 2417
Substrates, biopolymer, solubility and enzyme action surface diffusion model for, 257
Sugar puckering, in phenylalanine tRNA simulation, 1169
Supercoiled DNA, Raman conformational study of, 1107
Supercoiling, DNA, computer simulation, 867
—, DNA, nmr relaxation and, 1023
—, effect of Raman spectra of plasmid DNA, 1001
Superoxide dismutase, electrostatic substrate steering in, 1323
Surface topography, of α-helices, 1613
Sweeteners, peptide, homologous series of, 137
Sweet molecules, model for receptor binding of, 1629
Synthesis, of glutamate oligomers bound to POE, 2431
—, of sequential polypeptides, 1215

Taste receptor, model for bitter vs. sweet molecules, 1629
Temperature, effect on DNA B-Z transition, 289
Terbium, polynucleotide complex with, 1293
Tetra(γ-benzyl-L-glutamate), birefringence of solutions intramolecular association, 585
Tetrapeptides, containing Asp and Lys, 2045
—, proline, as β-turn models, 211
Thermodynamics, of amino acid derivatives in water, 695
—, of daunomycin-DNA binding, 403
—, of DNA proton exchange, 711
—, of lipid-protein interactions, 613
—, of unfolding of thermolysin 206–316, 767
Thermolysin fragment, CD study of effect of pH, salt on conformation, 767
Thymine dimers, crystal structure of, 897
(1-to-6)-β-D-Glucan, CP/MAS ^{13}C-nmr study of gelation, 2333
Torsional rigidity, of DNA, 1909

—, of nucleosomal DNA, 1931
Transducin, role in vision cascade modification by cholera and pertussis toxins, 29
—, γ-subunit of, sequence of, 157
Transfer RNA, phenylalanine, molecular dynamics simulation, 1169, 1189
Transient photodichroism, of nucleosome-methylene blue complexes, 1931
Transition, A-to-B, in DNA, 2035
—, B-to-X, in poly(dA-dT)-poly(dA-dT) correlated to DNA condensation, 2185
α-β-Transition, in homopolypeptides, 581(E)
Transition moments, of adenine and thymine in polynucleotides, 825
Triple helix, amide I band in, 1449
Tropomyosin, ORD of helix-coil transition, 1647
Turbidity, of rod-shaped molecules, 387
β-Turn, in helical undecapeptide, 961
—, interior, modeled by cyclic peptide, 117
—, in Pro–Pro sequences, 1089
—, side-chain interactions in, 2045
—, tetrapeptide models for, 211
γ-Turn, found for chemotactic peptide, 1131
γ-Turns, stabilized by disulfides, 2041
Twisting correlation function, for short DNAs, 1009
Twisting rigidity, of DNA filaments, 1233

Valine, stereospecific assignments of methyls, 601
Vibrational analysis, of adenine residue, 2357
—, of guanine residue, 1075
Vibrational CD, of L-Alanine oligopeptides, 1257
—, of poly(γ-benzyl-L-glutamate), 799
Virial coefficients, volumetric, of amino acid derivatives in water, 695
Viscoelastic properties, of protein crystals and films, 1785
Viscometry, low-shear, of human bronchial mucin, 1683
Viscosity, of rod-shaped molecules, 387
—, of tetra(γ-benzyl-L-glutamate) solutions, 585
Vision, mechanism of cascade in, 29
Volume, molecular, approximation for protein segments, 2511
Volumetric studies, of amino acid derivatives in water, 695

Water, solubility of nonpolar solutes in, 813
Wobble, chromophore, role in optical anisotropy of DNA, 1909
Wormlike chains, ring-closure probability of, 1881

X-ray analysis, of phenylacetyl-D-alanyl-D-alanine, 2087
X-ray crystallography, of thymine dimers, 897
X-ray diffraction, of alamethicin segment 12-20, 979
—, of *Rhizoclonium hieroglyphicum* cellulose, 421
—, of dehydrophenylalanine derivative, 639
—, of deoxycytidine monophosphate, 327
—, of α-helical undecapeptide, 961
—, of poly(Pro-Nle-Gly), 1853
—, of Pro–Pro dipeptides, 1089
—, of sequential polypeptide films, 1801
—, of (1-to-6)-β-D-glucan (pustulan), 2333
—, of Z-DNA octamers, 243

Z-DNA octamers, hexagonal lattice for x-ray diffraction of, 243